

Declaration of Performance

Number: DOP13012

1. Unique identification code:
argenta® pivotica® PRO
2. Indication of the product type:
argenta® pivotica® PRO
3. Application: Stainless steel lift off hinge for use on fire and smoke doors
4. Manufacturer:
ARGENT ALU nv
Bankstraat 2
9770 Kruishoutem
Belgium
5. Name and contact address of the representative: no
6. System of assessment and verification of constancy of performance: 4
7. Activity of the notified certification body as required by the harmonized standard norm: inapplicable
8. European Technical Assessment: inapplicable
9. Specifications performance:

Essential characteristics	Performance	European Assessment Document
Durability test	500 000 test cycles (grade 8)	EN 1154: 1996/A1:2002/AC:2006
Door closer power size	grade 3 – power size 3	EN 1154: 1996/A1:2002/AC:2006
Corrosion resistance	grade 3 – high resistance	EN 1670
Hardware Performance Sheet	No. 17103	EN 16035:2012
Fire resistance - test method (see HPS No. 17103)	EI 1 30 and EI 2 30	EN 1634-1
Fire resistance – classification (see HPS No. 1703)	EI 1 30 and EI 2 30	EN 13501-2

Classification (rating) of the **argenta® pivotica® PRO** compliant with the European norm **EN 1154**:

3	8	3	1	1	3
---	---	---	---	---	---

10. Performance of the product described in points 1 and 2 accordance with the performance specifications of point 9.

This declaration of performance is issued under the responsibility of the manufacturer referred to point 4.

Kruishoutem 23/03/2015

Stefaan Bourgeois
Business Unit manager



Ludo Ghijs
R&D manager

