



Trave

Ceiling upright bar track, wall track, suspended upright bar track
Binario a trave a soffitto, trave a parete, trave sospesa






Ceiling upright bar track

Aluminium sliding doors system with adjustable solution for wall fixing.

Trave a soffitto

Scorrevoli per porte in alluminio con binario trave a soffitto regolabile.




Wall track

Aluminium sliding doors system with adjustable solution for ceiling fixing.

Trave a parete

Scorrevoli per porte in alluminio con binario trave a parete.



Suspended upright bar track

Aluminium sliding doors system with suspended beam.

Trave sospesa

Scorrevoli per porte in alluminio disponibili con binario a trave sospesa.

Trave

Ceiling upright bar track
Trave a soffitto




Trave

Sliding systems for doors.
Ceiling upright bar track.

Sistemi scorrevoli per porte.
Binario a trave a soffitto.








Max. 45 mm



120 kg




6 - 10 mm


N°			kg		N°			kg	
1	1525 8 01 2.01525		120		3	S.1570		120	
2	1535 8 02 0.01535		120		4	1029		120	

Tracks / Binari		ALUMINUM FINISHES CODES / CODICI FINITURE ALLUMINIO			
CODE / CODICE		FINISH COLOR / COLORE FINITURA			
8 01 0.0	01 A	Anodized Silver / Argento		STANDARD	
8 02 0.0	02 AS	Brushed Anodized Silver / Argento Spazzolato			


CEILING UPRIGHT BAR TRACK / TRAVE A SOFFITTO




COMPATIBLE WITH / COMPATIBILE CON:



UNIVERSAL + ECLETTICA
THE NEW FRAME + LATERAL AUTOMATIC CLAMP
IL NUOVO TELAIO + STAFFA AUTOMATICA LATERALE



COMPATIBLE WITH / COMPATIBILE CON:



EVOLUTION
THE INVISIBLE BRACKET SLIDING SYSTEM
SISTEMA SCORREVOLE CON STAFFA INVISIBILE

Trave

Wall track
Trave a parete




Trave

Sliding systems for doors.
Wall track.

Sistemi scorrevoli per porte.
Binario a trave a parete.










Max. 45 mm



120 kg




6 - 10 mm


N°			kg		N°			kg	
1	1636 8 00 0.01636 8 01 0.01636		120		4	1280 8 00 0.01280 8 01 0.01280		120	
2	1222		120		5	1638 8 02 0.01638		120	
3	C.1650/A/2		120		6	S.1652/10		120	
4	1080 8 00 0.01080 8 01 0.01080		120		7	1029		120	

Tracks / Binari		ALUMINUM FINISHES CODES / CODICI FINITURE ALLUMINIO				
CODE / CODICE		FINISH COLOR / COLORE FINITURA				
8 00 0.0		00	G	Row - Mill Finish / Neutro - Grezzo	STANDARD	
8 01 0.0		01	A	Anodized Silver / Argento		
8 02 0.0		02	AS	Brushed Anodized Silver / Argento Spazzolato		


WALL TRACK / TRAVE A PARETE




COMPATIBLE WITH / COMPATIBILE CON:



UNIVERSAL + ECLETTICA
THE NEW FRAME + LATERAL AUTOMATIC CLAMP
IL NUOVO TELAIO + STAFFA AUTOMATICA LATERALE



COMPATIBLE WITH / COMPATIBILE CON:



EVOLUTION
THE INVISIBLE BRACKET SLIDING SYSTEM
SISTEMA SCORREVOLE CON STAFFA INVISIBILE

Trave

Suspended upright bar track
Trave sospesa




Trave

Sliding systems for doors.
Suspended upright bar track.

Sistemi scorrevoli per porte.
Binario a trave sospesa.








Max. 45 mm



120 kg





6 - 10 mm

N°			kg		N°			kg	
1	1515 8 02 2.01515		120		4	S.1536/DX S.1536/SX		120	
2	S.1538/DX S.1538/SX		120						
3	M4x27TPS		120		5	1029		120	

Tracks / Binari		ALUMINUM FINISHES CODES / CODICI FINITURE ALLUMINIO			
CODE / CODICE		FINISH COLOR / COLORE FINITURA			
8 02 0.0		02 AS	Brushed Anodized Silver / Argento Spazzolato	STANDARD	



SUSPENDED UPRIGHT BAR TRACK / TRAVE SOSPESA



COMPATIBLE WITH / COMPATIBILE CON:

UNIVERSAL + ECLETICA

THE NEW FRAME + LATERAL AUTOMATIC CLAMP/ IL NUOVO TELAIO + STAFFA AUTOMATICA LATERALE




COMPATIBLE WITH / COMPATIBILE CON:

EVOLUTION


THE INVISIBLE BRACKET SLIDING SYSTEM / SISTEMA SCORREVOLE CON STAFFA INVISIBILE

ACCESSORIES / ACCESSORI




ACCESSORIES FOR FULL CEILING FIXTURE / ACCESSORI PER FISSAGGIO A SOFFITTO PIENO

ART. 2304
K.0481.1



ACCESSORIES FOR EMPTY CEILING FIXTURE / ACCESSORI PER FISSAGGIO A SOFFITTO VUOTO


ART. 2306
K.0481.2



**3 METERS M6 THREADED BAR / BARRA FILETTATA M6 DA METRI 3
(KIT N° 10 PZ.)**


ART. 2308/3/10
K.0402.3

ADJUSTMENT CEILING UPRIGHT BAR TRACK WITH SUPPORT FOR DRYWALL EMPTY CEILING
REGOLAZIONE TRAVE A SOFFITTO CON SOSTEGNO PER CARTONGESSO SOFFITTO VUOTO



DOORS TOTAL WEIGHT: MAX 240 kg / PESO TOTALE DELLE PORTE: MAX 240 kg

ADJUSTMENT CEILING UPRIGHT BAR TRACK WITH SUPPORT FOR DRYWALL FULL CEILING
REGOLAZIONE TRAVE A SOFFITTO CON SOSTEGNO PER CARTONGESSO SOFFITTO PIENO



DOORS TOTAL WEIGHT: MAX 240 kg / PESO TOTALE DELLE PORTE: MAX 240 kg



Terno Scorrevoli S.p.A.

Via Ravenna, 4 - 20814 Varedo (MB) ITALY
Phone +39 0362 543001 - Fax +39 0362 582290

terno@ternoscorrevoli.com
www.ternoscorrevoli.com